



NQ SHELVING & STORAGE





NQ SHELVING & STORAGE

NQ Shelving & Storage is an independently owned business servicing the local warehousing and commercial office needs of customers in Townsville, Cairns and the greater North Queensland region.

We have all your pallet racking and shelving requirements covered. With over 40 years experience, you'll get the best advice on quality storage solutions from our team of knowledgeable staff who are happy to answer your questions in our well-stocked showroom, or chat over the phone or via email.

We also offer a consultancy service, provide design expertise and are qualified to conduct rack inspections. Whether it's for the warehouse, workshop or office, all NQ Shelving & Storage products are built to the highest quality standards. Our range of racking is made from high-grade steel, and our range of commercial products such as Compactus[®], lockers and filing cabinets are cleverly designed and built to last.

No matter how big or small your needs, trust NQ Shelving & Storage to deliver the kind of smarter thinking that puts your business ahead.



CONTENTS

INDUSTRIAL STORAGE

PALLET RACKING	6
CANTILEVER RACKING	10
SHUTTLE RACKING	12
ACCESORIES	14

SHELVING

LONGSPAN SHELVING	2
EASYFIT WIRE SHELVING	2
COLD ROOM SHELVING	2
ULTIMA CI-80 SHELVING	2
ULTIMA CI-80 ACCESSORIES	2

COMPACTUS

10	DIVIDERS	
12	MAXI LOUVRED PANEL - WALL MOUNTED 41	
14	MAXI HOOKS 41	
	EASYFIT WIRE BASKET 41	
	SPARE PARTS TRAYS 42	
	SHELF BINS	
.20	DRAWER ORGANISERS	
	VISI-PAKS	
. 21	STORAGE BOXES	
. 22	STORAGE CRATES 45	

MAXI BINS.....

DAISED	STORAC	ZE AD	EAS
NAIGED	UIGNAS		

FREETRACK 2 COMPACTUS [®]	26
MEKDRIVE 3 COMPACTUS [®]	28
SIDE2SIDE 2 COMPACTUS [®]	30
FREETRACK 2 LONGSPAN COMPACTUS [®]	31
ECLIPSE POWERED COMPACTUS [®]	32
MECH ASSIST COMPACTUS [®]	34
EASYFIT WIRE COMPACTUS [®]	35
MAXIDRIVE COMPACTUS [®]	36

AEZZANINE FLOOR OVER LONGSPAN HELVING
MEZZANINE FLOOR OVER PALLET RACKING VITH SWING OVER PALLET GATE
IERED PLATFORMS FOR MULTI-LEVEL PICKING CCESS

	STEEL STORAGE
OCK	ERS

SMALL PARTS STORAGE	METAL STORAGE CUPBOARDS	BARRIERS
		SPILL KITS
(I BINS 40	OFFICE FURNITURE	

WORKSTATIONS & DESKS.. **RECEPTION & LOUNGE......** TABLES.....

MATERIAL HANDLING

CHEMICAL STORAGE

250L FLAMMABLE LIQUIDS STORAGE CABINE
100L FLAMMABLE LIQUIDS STORAGE CABINE

WAREHOUSE SAFETY

GE	BOLLARDS & CONES	102	
GE	CABLE PROTECTOR	104	NQ
	CONVEX MIRRORS		

L KITS.	 	 	

BENCHES


HEAVY DUTY WORK BENCHES	112
ULTIMA LONGSPAN WORK BENCHES	113

CUSTOMISED STORAGE

.... 105

...107

CABLE DRUM STORAGE	116
LONGSPAN LOCKER	116
LONGSPAN PIPE RACK	117
SECURE LONGSPAN CAGE	117
SIGN RACK	. 117
STEEL STORAGE RACK	117





PALLET RACKING

You have a lot relying on your pallet racking system. A pallet rack has to carry the heavy load of handling supplies, inventory and essentially deliver easy access and total storage solutions.



6 INDUSTRIAL STORAGE

Selective Racking

Dexion Speedlock P90 Selective Pallet Racking is cost effective, high capacity storage.

Selective racking allows you to take advantage of cost effective, high capacity storage that enables easy access to products. It's ideal for businesses managing complex orders and mixed SKUs. Simple to install, selective racking is easily adjustable and customisable to your business needs. Serviced by conventional forklift trucks.

It is the most common type of pallet racking and allows access to every single pallet within the pallet racking structure at any time. It is considered as the lowest cost pallet racking solution type.

Specifications

ay Height From 900mm to 11400mm

Bay Width

From 1350mm to 5000mm

Bay Depth

From 600mm to 1500mm

Standard Beam Sizes

Box Beam Series: 90mm x 40mm, 100mm x 40mm, 05mm x 50mm, 140mm x 50mm RHS Series: 100mm x 50mm, 150mm x 50mm

Standard Upright Sizes

90mm Series, 100mm Series & 120mm series

Standard Upright Finishes

Dexion Orange or Hot Dip galvanised (Beams) Pre-Galvanised Custom Colour available







Made from the same beams and uprights we use in pallet racking, Speedlock is the ultimate in economical, heavy-duty shelving.





Speedlock Shelving

The ultimate in heavy-duty shelving.

The wide selection of beam sections and lengths means it can suit almost any space, while the bolted construction ensures it's fully adjustable and can be fitted with timber or mesh shelves.

Specifications

Shelving Bay Height

900, 1800, 2400, 3000mm

Shelving Bay Width

1350, 2600, 2750, 3850mm

Shelving Bay Depth

600, 750, 840, 900, 1000, 1050, 1200, 1300, 1350, 1500mm

Particle Board, Mesh or Melamine "Structural Ply" Particleboard (Townsville Only)



Double Deep Racking

Dexion Speedlock P90 Double Deep Pallet Racking is practical for high-volume single SKUs required for rapid despatch.

Store up to four pallets deep for swift dispatch of large, single-SKU orders. The double entry aisle offers easy access through dual pantograph or sliding fork attachments. Ideal for businesses with a minimal range of products who deliver in high volumes.

Specifications

Rail Lenght

2450mm

Bay Width

2600mm & 2750mm

Rail Options

Standard & Heavy Duty

Pallet Stop

Standard: Optional Bolted Heavy Duty: Welded





INDUSTRIAL STORAGE



Narrow Aisle Racking

Dexion Speedlock P90 Narrow Aisle Pallet Racking optimises your floor area and roof height.

Optimise your floor area and roof height, while retaining direct access to every pallet resulting in greater storage density. Special forklifts are required and operating cabins may be elevating or static.





Specifications

mmidiate Accessibility
00%
Handling Equipment
pecialised Forklift
Avarage Locations Used
5%
Stock Rotation
lood
% of Floor Space Covered by Storage
6%

Dexion Push Back Racking is a high density system which allows direct access to large batches of goods with the same SKUs. Each level allows storage depth of two to six pallets.

basis (FILO).

Pallets are loaded on top of a sliding cart and pushed deeper into the rack when the next pallet is loaded. Up to 6 pallets can be stored per channel. At each level, pallets are placed on a set of trolleys that are pushed along rails. During unloading, the front pallet is removed by the fork truck and as it is taken away, the next pallet rolls forward along a set of rails.





Push Back Racking

The gravity-fed operation ensures the pick-face is constantly filled, arranged on a First In, Last Out

Push-back is ideal for storing medium-turnover products, with two or more pallets per SKU.

How it works:



Specifications

Pallet Size

1165mm x 1165mm (Timber Pallet)

1200kg

Pallet Weight Range

500kg to 1200kg

System Depths

2 Pallets Deep 3 Pallets Deep 4 Pallets Deep 5 Pallets Deep

6 Pallets Deep

Operating Temperature

%46

- Safety Features
- Lift out protection - Linked carts
- Pallet stop

Accesories

Pallet Guide







CANTILEVER RACKING

Cantilever Racking is designed to store long, awkward, or bulky materials of virtually any length. Unlike pallet rack system, cantilever racks offer no vertical obstructions in the storage area.




Heavy Duty Cantilever Racking

Used in a wide range of industries, including steel and timber, plumbing and hardware.

The Clearspan Heavy Duty Cantilever allows you to house a range of extra heavy or extra-long items with ease. There are no front uprights to impede access. The galvanised option is suited to outdoor storage requirements. This solution is used in a wide range of industries, including steel and timber, plumbing and hardware, furniture wholesalers and garden supplies.





Specifications

Column Height - Depth 300mm 3300, 4200, 4800, 6000mm

Column Height - Depth 305mm 4200, 4800, 5800mm

Column Height - Depth- 350mm 4800, 5800mm

Column Height - Depth 400mm 3300, 4800, 6000mm

Base SE and DE 600, 900, 1200mm

Arm Length

600, 900, 1200mm

tandard Colours Red (Arms), Blue (Columns)

Powder coated, Galvanised

Components also available in hot dip galvanised for outdoor use. Wind Load Calculations need to be considered in the design of this product for all outdoor applications. Single sided and double sided configurations available.

Dexion Clearspan Light Duty Cantilever is ideal for storage of long, awkward-shaped or oversized products. This rack is designed to carry lighter loads of up to 1,000kg.






Light Duty Cantilever Racking

A cost-effective solution where products are loaded from the front of the system without any interference from uprights or beams.

Developed to store lengthy goods such as timber, pipe and long bulky items that cannot be palletised and stored in conventional pallet racking systems.





Specifications

Column Lengths 2000, 2400, 3600mm

650, 950, 1250mm

950, 1150, 1450mm

1560, 2160, 2760mm

Arm Load Capacity Up to 1000kg

Standard Finishes


Blue & Red





SHUTTLE RACKING

Maximise your warehouse management with high density semi-automated shuttle systems.



Dexion HDS Shuttle

The Dexion High Density Storage (HDS) Shuttle offers high density pallet storage without the use of forklifts.

The shuttle unit travels on support rails, transporting pallets within the system by retrieving and depositing pallets, controlled by the user via remote control. The HDS Shuttle incorporates various features to ensure safe handling, high reliability and low energy consumption.

This solution makes the most use of limited space and provides high density storage for both highly active or static stocks with low SKUs. The system is scalable according to the warehouse operations, throughput and goods volume.











12 INDUSTRIAL STORAGE





Specifications

Ambient 0°C to +50°C

Number of wheels	Safety Features
4 or 8	- Ground stops
11. La est Thurs	- Back stops
Unload Time	- Emergency button
4 sec	Add-ons
Loaded Speed	- Collision sensors
50m / min	- Tyne pockets
	- Safety carriage
Unloaded Speed	- Electromagnetic locking system
84m / min	- Anti-tilting alarm
	- Drop alarm
Lift Capacity	
4 Wheel: 1,500kg	Standard Features
8 Wheel: 2,000kg	- Single load
	- Single unload
Use Duration	- Continuous load
8 hours	- Continuous unload
Battery Type	- Battery meter
	Add-ons
Lithium	- Reshuffling
Recharge Time	- Shuttle unit locator
5 hours	- Shuttle Performance Dashboard
310013	
Remote Type	Pallet Racking System
RF	Speedlock MK8
Remote Battery	Shuttle Dimensions (LxWxH)
	1300mm x 960mm x 175mm
Re-chargeable Lithium	120011111 X 30011111 X 17311111
Operational Temperature	
Cold Room -35°C to 50°C	



ACCESORIES

Let us help you find the pallet racking extras your business needs with our comprehensive range of high quality accessories.



Cable Drum Storage

Designed for ease of access to bulky items such as rolls of cable, chain or rope. Integrated into your existing pallet racking our Cable Drum Storage is versatile and a cost effective system that maximizes your storage space.



Designed to aid in the storage of large cylindrical objects such as coils or 44 gallon drums on pallet racking in a flat horizontal position.

Mesh Deck

Light, medium and heavy duty decks available.

With uniquely profiled supports, it offers super support for light, medium and heavy-duty applications to suit all rack sizes. A mesh deck can reduce your pallet hire cost and eliminate double handling.



Chipboard Retainer

Secure particleboard to beam levels.

Secures particleboard to beam levels easily without any permanent fixing. You'll need four retainers for each particleboard sheet.



Fork Entry Bar

Used for unsuitable pallets or un-palletised loads.

When unsuitable pallets or un-palletised loads need to be stored on beams and handled by forklifts, Fork Entry Bars are deployed. The bars allow a gap for forks of approximately 75mm above the beam. They're not suitable for step or open beams. Available in 840mm and 1219mm.





Pallet Support Bar

Support extra-heavy loads or non-standard sized pallets.

Support extra-heavy loads or non-standard sized pallets. The bars span across the frames and are supported at each end by the beams. Often used as a secondary support for pallets or shelving, but not suitable for step or open beams.





Rack Protection Options

Column Guard

The guard stands immediately in front of a 90 or 100mm upright, and its function is to provide a degree of resistance to the bottom 400mm of upright from front impact damage by fork lift trucks. When used, the bottom of the lowest beam must clear the height of the guard.



Upright Protector

The Keylock/Speedlock Mk8 Upright Protector stands immediately in front of the upright, providing a level of protection up to 600mm, against impact by forklift trucks or other lifting equipment.

It is connected to the upright by: 2 x Upright Protector rubber blocks 2 x M10 x 50 Hex head set screw ZP Grade 5.8

Smart Guard

Clip-on, wrap-around SmartGuard upright protectors is an energy absorbing rack protector, tested to FEM 10.2.02, providing resistance to impact by forklift trucks or other lifting equipment up to a height of 800mm. The patented design fits all grades of 90mm upright and fits over the Dexion standard and welded baseplate range. The protector is positively anchored by means of two tongues, which fit into the SmartGuard clips to lock the assembly to the upright.



Protect It's

The Protect-it range of products are designed and manufactured in Australia to exceed both Front and Side impact resistance in Australian Standard AS4084-2012, EN standards and FEM Standards.

Rack End Protector

Rack End Protectors guard against damage from fork lifts and other vehicular traffic within a warehouse. Installed at the end of racking rows, either single or double entry, and in fork lift drive through bays.





Pallet Drawers

The Dexion Pallet Drawers provide an ergonomic and safe way to hand pick various storage items within the pallet racking structure.

Rollers allow the drawer to be easily opened or closed, giving the pickers free access to the pallet from three sides. The Pallet Draw is self-latching on return preventing accidental release into the aisle.







Safe Working Load Sign

Ensure safety in the workplace.

Ensure safety in the workplace with a safe working load that informs of allowable safe limits for loads.


⊘DEX		DS EQUIPMENT SUPPLIED BY	•
EXTERNAL APPLICATIONS TO ATTRES WIND INTERCH	KG KG MAX. PALLET LOAD	STE ADDRESS INSTALLATION DATE	
une. Nuur Loko Hooht	UNEVEN POINT LOAD REFER TO SUPPLIER	NACK DESIGNED BY NACK NEPECTION RECORD	
		BACK MAINTENANCE CONCUCT INSUAL REFERENCE to deals for: Concerning and the second second second Automatic and the second second second second Automatic and second second second second MERICE question on cannot sec al applicant	
HEGHT TO 1ST BEAM		DAMAGE DUE TO BANKST CAN MANE AMENY BETCHT of damage is its link: Solidy Officer DD NOT due to the structure DD NOT due to the structure Channing approval from angular Channing approval from angular F & dash ANVOIS control rung comment angular	
NOTE: Ch	anges to rack configuration alters the safe working		

Upright Cap

Suits 90R, 90M, and 90H grade uprights.

Cover sharp edges with this moulded upright cap to fit over the top. Suits 90R, 90M, and 90H grade uprights.





16 INDUSTRIAL STORAGE





SHELVING

SHELVING

SHELVING

Shelving is the basic building block of any storage solution, whether for a warehouse or office. Our options focus on providing the maximum possibilities, without sacrificing quality and durability, so they can grow and adapt as your organisational needs change.



Longspan Shelving

Dexion Ultima Longspan is a strong and durable shelving system that is smart and clean in appearance, fast and easy to assemble and reconfigure.

These features make it the ideal shelving solution for a wide variety of applications.

Specifications

Shelving Bay Height 900, 1200, 1500, 1800, 2000, 2200, 2500, 3000mm

Shelving Bay Width 900, 1200, 1500, 1800, 2100, 2400mm

Shelving Bay Depth 400, 450, 500, 600, 760, 900, 1200mm



1



EasyFit Wire Shelving

Maximise your floorspace with this versatile, durable shelving solution. EasyFit® Wire Shelving is designed to suit storage of any kind, including medical equipment.

Specifications

Shelving Bay Height 1000, 1200, 1500, 1800, 1900, 2000, 2100, 2200mm

Shelving Bay D

355, 460, 533, 610mm





Improve storage capacity in hard-to-use areas combined with easy assembly.

It comes in two long-lasting and functional finishes - chrome for dry environments and stainless steel 304 for harsh or wet environments.

Shelving Bay Width

610, 757, 910, 1060, 1215, 1370, 1518, 1822mm



Cold Room Shelving

A single tier all purpose shelving system for a corrosive environment, such as a cool room, freezer or laundry.

Perfect for storage of items that benefit from the extra airflow offered by the mesh shelves, such as meats, dairy, vegetables or linen.

Specifications

Shelving Bay Height

1350, 1800, 2000, 2300mm

Shelving Bay Width

600, 750, 900, 1050, 1200, 1350, 1500, 1650, 1800, 1950, 2100, 2250, 2400mm

Shelving Bay Depth

300, 375, 450, 525, 600mm

Zinc & Stainless Steel 304

ABS Black Plastic Shelves

Available for (depth)

300mm, 450mm & 600mm bays

Colours

Black





Ultima CI-80 Shelving

Modular shelving system that expands in any direction.

Ultima CI-80 is the ideal storage solution for small parts that are light or medium weight. Modular design allows systems to be easily added to or reconfigured at any time.

Specifications

Shelving Bay Height

1875, 2175, 2400mm

Shelving Bay Width

750, 900, 1050, 1200mm

Shelving Bay Depth

300, 400, 450, 600mm





Ultima CI-80 Accessories

Pull Out Reference Table

Optimise your office space with this smart, stable, pull-out shelf designed to use as a workstation.

Bin Fronts

Prevent small items falling from the shelf. Fitting the bin front to either the front or the back of a shelf ensures small items cannot fall out.

Adjustable Shelf Dividers

Subdivide your shelves easily with these handy dividers. Each divider is secured by four pins that fit into the oval holes on the top and bottom of the shelf. The shorter pins are for the top, slotting into the shelf above.















COMPACTUS

Static shelving mounted on mobile bases and runners. Optimise your floorspace with Compactus®, exclusive to Dexion. Mounted on mobile bases and runners, Compactus® is available in three configurations – manual, mechanically assisted and motorised.

Freetrack 2 Compactus®

Lightweight solution for almost anything you need to file.

Freetrack 2 Compactus® is an ideal lightweight system for just about any storage and filing application. With no floor-fixing required, the Freetrack 2 Compactus reduces the danger of operator strain, while allowing block loads of up to 1,000kg effortlessly.







26 COMPACTUS









Specifications

Drive Type Manual

Rail System Above-floor

Shelving Accessory System

Ultima CI-80

Maximum System Width

1800mm (2 x 900mm bays)

Shelving Bay Height

1875, 2175, 2400mm

Shelving Bay Width

750, 900, 1050, 1200mm

Shelving Bay Depth

300, 400, 450, 600mm

Shelf Height

30mm

Shelf Pitch

25mm

Anti Tilt System

Track and Runner Combination

Standard Colours

Shelving - Stone White Track and Carriage - Anodised aluminium

Capacity

Standard frames - Up to 1035kg

111511

Powder coated

Additional

GECA Level B Certification

te

* Uniformally Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion representative for specific maximum loads based on your configuration.

Mekdrive 3 Compactus®

An ultralight cost-efficient mechanical filing and storage system.

Dexion's Mekdrive 3 Compactus revolutionises filing and storage systems with advanced technology and design. The Mekdrive 3 Compactus® now has up to 78% more storage capacity with increased width from 2700mm to 4800mm. Enhancements include a modern and unique stylised hand-wheel with integrated spinner handle, providing safer and easier operation.

The Mekdrive 3 Compactus® is the lightest mechanically assisted mobile storage system available. It has been designed to keep floor loads to a minimum, a major consideration in commercial office buildings. The Mekdrive 3 Compactus® has an increased system width of four shelving bays, which could previously only be achieved with fixed-track systems.





Specifications

Drive Type	Ov
Mechanically assisted	194
Shelving Accessory System	Ма

Ultima CI-80

Maximum System Width

4800mm * Subject to a maximum of 5 tracks in width (4 shelving bays) and maximum movable block load.

Shelving Width (Bay Width) 750, 900, 1050, 1200mm

Shelving Depth 250, 300, 400, 450, 600mm

Shelf Heig 1875, 2175, 2400mm



40, 2240, 2465mm

laximum Carrying Capacity* 700kg * Uniformly distributed load. Shelf, beam and bay capacities vary, contact your representative for specific maximum loads based on your configuration.

Security

Standard Colour Stone white (Shelves)

Other Colours

P.O.A

Accesor

- Bins - Bin fronts - Coat rail

- Shelf slotted - Shel

Additional

GECA Level B Certification





verall System Heig

Maximum Movable Block Load*

6,000kg * Uniformly distributed load. Shelf, beam and bay capacities vary, contact your representative for specific maximum loads based on your configuration.

Tracks and/or aisle lock

Anodized Aluminimum (Track and carriage)

- Fineline shelves & shelf divider - Hanging file chassis - Roll out file frame - Roll out media drawer - Roll out reference shelf - Roll out shallow drawer - Roll out deep drawer











Side2Side 2 Compactus®

Optimise those hard-to-use areas for storage.

Optimise those hard-to-use areas for storage with Side2Side 2 Compactus[®]. It's an ideal way to transform under-utilised areas like alcoves, improving your storage efficiency. A row of mobile shelving sits in front of a row of static shelving, eliminating the need for permanent aisles. Stored items are easily accessed from the front.





Specifications

Maximum Sy

Unlimited

Drive Type

ail Syste

Above-floor


Shelving Ac

Ultima CI-80

Overall System Heigh

1940, 2240, 2465mm

Manual





Shelving Bay Height 1875, 2175, 2400mm

Shelving Bay Width 750, 900, 1050, 1200mm

Mobile Shelving Bay Depth 400, 450, 600mm

Static Shelving Bay Depth 300, 400, 450, 600mm

Maximum Bay Carrying Capacity 500kg

Shelf Carrying Capacity Up to 240kg*

Shelf Heigh 30mm

Shelf Pit 25mm

Anti Tilt System Track and Runner Combination

Standard Colours

Shelving – Stone White Track and Carriage - Anodised aluminium


Finish

Powder coated

* Uniformally Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion representative for specific maximum loads based on your configuration.

Freetrack 2 Longspan Compactus®











Our most versatile storage system.

Take advantage of our most versatile storage system. Mount your Ultima Longspan 2 shelving on the Freetrack 2 track and runner system for ultimate flexibility in storing archives or bulky items. With no floor fixing required, it's simple to assemble with no damage to existing floors.





Specifications

Drive Type

Manual

Shelving Accessory System

Ultima Longspan 2

Maximum System Witd

2400mm

Shelving Width Options 900, 1200, 1500, 1800, 2100, 2400mm

Shelving Depth Options 400, 450, 500, 600, 760, 900, 1200mm

Shelving Height Options

2000, 2200, 2500mm

Maximum Bay Carrying Capa

Up to 1500kg*

Anti Tilt System

Track and runner combination

Standard Colour

Stone White (beams and shelves), Anthracite (Uprights) Anodized Aluminium (Track and carriage)

Shelf Options

- One piece solid steel
- Timber shelf infill
- Stepped beams with steel shelf infills
- Coat rails

*Uniformly Distributed Load. Shelf, beam and bay capabilities vary, contact your Dexion representative for specific maximum loads based on your configuration.

Eclipse Powered Compactus®

Affordable, high-density mobile storage.

Enjoy the advantages of powered high-density mobile storage at an affordable price. The Dexion Eclipse has been designed for safety, ease of use, productivity and reliability – and best of all, it evolves with your needs. Access a broad range of features for guidance, control and safety, environmental monitoring, security, lighting and more.









Specifications

Drive Type

Powered, Motor-driven (line shaft or synchronised)

Track Systen

Standard Anti-tilt rail with dual flange guidance. Option – Other rails available depending on size and weight loads

Shelving Accesory System

Standard Ultima CI-80 and Ultima Longspan 2

Maximum System Width

24.6m - longer on request

Overall System Height

(from top of track, excluding overhead pantographs) With Ultima 2020, 2320, 2545mm With Longspan 1345, 2145, 2345, 2645, 3145mm

Shelving Height

Ultima 1875, 2175, 2400mm Longspan 1200, 2000, 2200, 2500, 3000mm

Shelving Width

Ultima 750, 900, 1050, 1200mm Longspan 900, 1200, 1500^ 1800, 2100, 2400mm

Shelving Depth

Ultima 250, 300, 400, 450, 500, 600mm Longspan 405, 455, 505, 605, 765, 905, 1205mm

Maximum Carriage Carrying Capacity

Up to 1500kg per linear meter*

Shelf Carrying Capacity

Up to 240kg*

Shelving Bay Capacity

Standard frames – Up to 1035kg* Reinforced frames – Up to 1700kg*

Shelf Height

30mm

Shelf Pitch

25mm

Standard Colours

- Ultima

- Shelving: Stone White
- Base Carriages: Furniture White
- Laminate Face Panels: White low-pressure laminate with
- black trims
- Longspan
- Beams & Shelves: Stone White
- Uprights: Athracite
- Track and carriages: Anodized Aluminimum

Finish

Powder coated

Note

* Uniformally Distributed Load. Shelf, beam and bay capacities vary, contact your Dexion representative for specific maximum loads based on your configuration. ^ Made to order

Mech Assist Compactus®

Optimise your storage space with a smooth operation.

Optimise your storage space with Australia's safest, smoothest mechanically assisted Compactus®. Enjoy maximum storage efficiency at your fingertips, thanks to the smart inbuilt technology which allows you to select a drive ratio to suit the load. With market leading safety features and the ability to upgrade to a full powered operation, Mech Assist is a smart choice.

Specifications

System Type

Mechanically Assisted

Track System

Standard B Anti-tilt track with dual flange guidance. Other track profiles are available depending on size and weight loads

Shelving Accessory System

Standard Ultima CI-80 and Longspan

Shelving Height

Ultima 975, 1875, 2175, 2400mm Longspan 1200, 2000, 2200, 2500, 3000mm

Shelving Witdh

Ultima 750, 900, 1050, 1200mm Longspan 900, 1200, 1500^ 1800, 2100, 2400mm


Shelving Depth

Ultima 250 , 300, 400, 450, 500, 600mm Longspan 405, 455, 505, 605, 765, 905, 1205mm

Maximum Carriage Carrying Capacity Up to 1500kg per linear meter*

Maximum System Width

13.7m longer on request



Standard Colours

- Shelving: Stone White
- Base Carriages: Furniture White - Laminate Face Panels: White low-pressure laminate with
- black trims
- Longspan
- Beams & Shelves: Stone White
- Uprights: Athracite
- Track & Carriages: Anodized Aluminimum

Overall System Height (fromt top of rack)

Ultima 1120, 2020, 2320, 2545mm Longspan 1345, 2145, 2345, 2645, 3145mm

e

^ Made to order









EasyFit Wire Compactus®

Designed specifically for clinical environments.

Designed specifically for clinical environments, the EasyFit Wire Compactus range minimises the surface area that can harbour bacteria or dust and allows a constant airflow around your stored items.

The smart design extends to providing optimal storage density while retaining crucial accessibility to assist with stock flow.

It's available in three finish options to suit your needs, including chrome, zinc-plated and stainless steel.

Specifications

Height

Static Bay: 2260mm Mobile Bay: 2040mm

Wid

757, 910, 1060, 1215, 1370, 1518, 1822mm

Dept

355, 460, 533, 610mm

Adjustment Pitch

25.4mm

Finishe

- Chrome / Zinc plated / Stainless steel 304

Accessorie

- Shelf Ledges

- Shelf Dividers



MaxiDRIVE Compactus®

The ultimate solution for large volume contents, heavy or bulky items.

Makes storing large volumes of contents, or heavy or bulky items easy. Capable of carriage lengths of up to 14,440 mm as standard, you'll enjoy highly efficient storage density in a mechanically operated system. Versatile and robust, applications extend to any office item, back-of-house retail, library, warehouse or archive.











Specifications

Drive Type Mechanically assisted (Positive Drive) Shelving & Accessories System

Ultima CI-80

Maximum System Width 14,440mm

Shelving Width (Bay Width) 900, 1050, 1200mm

Shelving Depth 300, 400, 450, 600mm

Shelving Height 1875, 2175, 2400mm

Overall System Height (excluding the tracks) 2040, 2340, 2565mm

Maximum Bay Carrying Capacity* Up to 1000kg per lineal meter

Maximum Movable Block Load*

20 tonne

Security Unit and Aisle Locking

Standard Colour

- Stone White (shelving) - White Satin (base)

Safety


- Anti-Tilt Tracks - Hub Lock

Additional

GECA Level B Certification

36 COMPACTUS









SMALL PARTS STORAGE

NQ Shelving & Storage offers a wide range of quality small parts storage options. Small storage containers are excellent for a broad range of uses and professional applications including first aid kits, tool storage, and storage for schools. We offer a range of high-quality small storage boxes and small storage cabinets that fit in a variety of spaces.



Maxi Bins

A range of strong, stack-able, open-front storage containers.

Take advantage of the robust and versatile range of market leading maxi-bins. Made from polypropylene, maxi bins are commonly hung on louvre panels. Their unique interlocking design lets you stack them securely without the bin splaying under a heavy load, so you can use them in a shelving system or on a benchtop. Maxi bins come in seven sizes and five colours, which allow for colour-coded organising systems.







Specifications

P5 Maxi Bin

Dimensions: 100mm W x 120mm D x 60mm H Max load: 2kg Colours: Red, Blue, Yellow, Green

P10 Maxi Bin

Dimensions: 100mm W x 178mm D x 85mm H Max load: 5kg Colours: Red, Blue, Yellow, Green

Dimensions: 135mm W x 225mm D x 125mm H Max load: 9kg Colours: Red, Blue, Yellow, Green

P30 Maxi Bin

Dimensions: 205mm W x 280mm D x 165mm H Max load: 14kg Colours: Red, Blue, Yellow, Green

P40 Maxi Bin

Dimensions: 410mm W x 280mm D x 165mm H Max load: 18kg Colours: Red. Blue, Yellow, Green

P45 Maxi Bin

Dimensions: 180mm W x 440mm D x 145mm H Max load: 13kg Colours: Red

P60 Maxi Bin

Dimensions: 410mm W x 457mm D x 216mm H Max load: 27kg Colours: Red, Blue, Yellow, Green







40 SMALL PARTS STORAGE



Dividers

Plastic dividers for the Maxi and Shelf Bin ranges

Maxi Louvred Panel - Wall Mounted

Turn any flat surface into practical storage space.

Turn any flat surface into small parts storage with the Maxi Bin wall mounted panel. The panel is attached securely to your wall to allow for all sizes of Maxi Bin to hang. You can also hang it to racks or shelf units, the end of a bench or a desk and even the back of a door. When you need to re-arrange your space, it's easily removable for use elsewhere.



Specifications

/lax Load 101kg to 407kg

Wall mounted 457, 914, 1829mm

454mm

Colour APO Grey

Powder coated

Maxi Hooks

Fast, easy access to a wide range of small parts is essential for delivering productivity and customer responsiveness. Dexion offers a range of high quality, modular solutions that make it easy for you to find the right fit for your business. Talk to our consultants about the best configuration for your operation.

Specifications

Max Load 2.3kg to 4.5kg

Hook MX S6 Single 6Inch ZP 150mm / Zinc Plated

Hook MX D6 Double 6Inch ZP 150mm / Zinc Plated

Hook MX C6 Closed 6Inch ZP 150mm / Zinc Plated





EasyFit Wire Basket

Store sterilised medical supplies with assurance.

Store sterilised medical supplies easily with this trusted range. Designed to be used interchangeably with the Maxi Bin system, they're a leading choice for medical facilities. Each basket has a double wire on the top edge to ensure there are no sharp edges. The EasyFit Wire Baskets fit onto the Dexion louvre panel and can easily be removed for restocking or relocation of stored items.

Specifications

Dimensions

- W5 108mm W x 113mm D x 60mm H
- W10 108mm W x 171mm D x 85mm H
- W20 143mm W x 218mm D x 125mm H
- W30 210mm W x 273mm D x 165mm H
- W40 418mm W x 273mm D x 165mm H
- W60 418mm W x 450mm D x 215mm H

Finishes

Chrome or Stainless steel 304



Spare Parts Trays

With an in-depth range of sizes and divider options to cover most parts sizes and suit standard shelving systems perfectly.





Specifications

1H-012

Dimensions: 300mm x 100mm x 100mm Dividers: Includes 2 dividers Colours: Grey

1H-017

Dimensions: 400mm x 100mm x 100mm Dividers: Includes 2 dividers Colours: Grey

<u>1H-027</u>

Dimensions: 600mm x 100mm x 100mm Dividers: Includes 5 dividers Colours: Grey

1H-024

Dimensions: 300mm x 200mm x 100mm Dividers: Includes 2 dividers Colours: Grey


Dimensions: 400mm x 200mm x 100mm Dividers: Includes 2 dividers Colours: Grey

Dimensions: 600mm x 200mm x 100mm Dividers: Includes 5 dividers Colours: Grey

Shelf Bins

Convenient drawer-like access for small parts.

Use for a convenient, draw-like access for small parts, with black polypropylene dividers for up to eight compartments. The back-stop allows shelf bins to hang-lock to the rim of the shelf above so the bin can tilt out for easy use. Label holders ensure it's easy 102m to find what you want, when you want it.





Specifications

Application
On-Shelf Only
Height
102mm
Width
105mm and 168mm
Depth
295, 445, 600mm
Dividers
Left to right dividers available
Colours

Blue

Polypropylene





1H-044 3 Drawers

Dimensions: 205mm x 280mm x 155mm Colours: Blue/Clear





Drawer Organisers

Perfect For Small Components Storage.

The Fischer Drawer Organisers are an ideal solution to small parts and components. Easily arrange your small pieces into their individual compartment.

The range is widely used from home and garage storage through to industrial trade parts.

Specifications

Dimensions: 155mm x 128mm x 142mm Colours: Blue/Clear

1H-050 12 Drawers

Dimensions: 305mm x 128mm x 230mm Colours: Blue/Clear

1H-051 20 Drawers

Dimensions: 305mm x 128mm x 230mm Colours: Blue/Clear









Visi-Paks

Perfect For Small Components Storage.

The Fischer Visi-Paks is one of the most widely recognised Fischer products, used in many industries for bulk storage systems and organised parts storage.

The range offers great protection from the elements with the strength to accommodate heavy-duty equipment and parts.

Specifications

Visi-Pak Small 1H-040

Dimensions: 103mm x 83mm x 120mm Colours: White/Clear

Visi-Pak Medium 1H-041

Dimensions: 154mm x 126mm x 180mm Colours: White/Clear

Visi-Pak Large 1H-042

Dimensions: 208mm x 167mm x 235mm Colours: White/Clear

Small tool box two tray 1H-106

Dimensions: 290mm X 150mm X 115mm (W x D x H) Colours: Red/Black

Carry case EZI-PAK 21 Compartments 1H-150R

Colours: Red/Clear









SMALL PARTS STORAGE 43

Storage Boxes



1H-030 5 Compartment Storage Box

Dimensions: 188mm x 115mm x 31mm Colours: Clear

1H-029 1 Compartment Medium Storage Box

Dimensions: 195mm x 157mm x 48mm Colours : Clear

1H-038 6 Compartment Medium Storage Box

Dimensions: 195mm x 157mm x 48mm Colours : Clear

1H-039 14 Compartment Medium Storage Bo
Dimensions: 195mm x 157mm x 48mm
Colours: Clear
1H-0921 Compartment Large Storage Box

Dimensions: 310mm x 210mm x 48mm Colours: Clear

1H-093 12 Compartments Large Storage Box Dimensions: 310mm x 200mm x 48mm Colours : Clear

1H-094 18 Compartment Large Storage Box

Dimensions: 310mm x 200mm x 80mm Colours : Clear

H-090 3 Compartment Deep Large Storage Box Dimensions: 310mm x 200mm x 80mm Colours: Clear

1H-095 6 Compartment Deep Large Storage Box

Dimensions: 310mm x 200mm x 80mm Colours : Clear

1H-097 20 Compartment Extra Large Storage Box Dimensions: 350mm x 270mm x 55mm Colours : Clear

1H-098 8 Compartment Extra Large Storage Box

Dimensions: 350mm x 270mm x 100mm Colours: Clear

5 Compartment Tackle Box 1H-034K

Dimensions: 188mm x 118mm x 31mm Colours : Clear

6 Compartment Tackle Box 1H-175

Dimensions: 310mm x 200mm x 80mm Colours : Clear

Storage Crates





Sealcase 339





Enviro Crates

- The Enviro Crates Range is made from completely 100% recycled materials and are 100% recyclable, as well as being durable and hardwearing. The most commonly used crate in Australia & NZ, with industrial strength made from heavy duty, durable recycled PP material.
- Good environmental choice Australia (GECA) approved. Hot Stamp print branding on side/s for an extra cost. Crate tamper proof with a one-way tie.

Stack 'n' Nest Crates

The Stack 'n' Nest Crates Range is food grade and made from completely recycled materials.



Lid 32L, 52L & 68L Nesting Crate Okka Enviro Skate

AP7/10/15 Lid to suit AP7/10/15L 66L Vented Lug Box Prawn Crate



Sealcase 470



13L Small Tote Box

Sealcase 525

13.5L Nesting Crate

52L Nesting Crate





21L Medium Tote Box

22L Nesting Crate

68L Nesting Crate

AP7 32L Stacking Nesting Crate AP10 52L Stacking Nesting Crate AP15 68L Stacking Nesting Crate



32L Nesting Crate

Lid to suit 13.5L & 22L Crate









Sealcase 616



Sealcase Gun Case






RAISED STORAGE AREAS

RAISED STORAGE AREAS

RAISED STORAGE AREAS

Raised storage platforms provide additional storage areas in the workplace. Warehouse-raised storage areas are heavy-duty freestanding units that use uprights and platforms for support. The structural raised storage areas stack and store more product while simultaneously freeing up floor space.



Mezzanine Floor over Longspan Shelving

Longspan two-tier is flexible and robust with a wide variety of applications, such as archives, factories and retail outlets. It's readily customised to specific requirements; bay lengths can be mixed and matched, staircases

added, along with pallet gates, bridges and anything else your space needs. Suitable for heavier, bulkier items.



A raised platform made from structural steel is so strong you only need a limited number of pillars. This enables you to achieve uninterrupted space above and below which offers unlimited flexibility for utilisation of space. For example, you may want to utilise the ground floor as a workshop, for storage or manufacturing or packing area.



multiple levels.

48 RAISED STORAGE AREAS



Mezzanine Floor over Pallet Racking with Swing Over Pallet Gate



Tiered Platforms for Multi-Level Picking Access

Utilising your existing racking support structure, create tiered platforms to facilitate picking access at

The platforms are constructed from either mesh grated steel or ply flooring. You can also incorporate conveyors for efficient material flow. Ideal for businesses that need a cost effective way of creating a raised storage area for hand-loaded goods that are not heavy in nature. Slow moving stock can be stored on upper levels leaving the ground floor for fast moving stock items. Also, it suits growing businesses that may need to dismantle and relocate the storage area in the future.







STEEL STORAGE

STEEL STORAGE

Made of durable steel construction, these metal storage lockers are great for workplace staffrooms, sports clubs and offices.



Lockers

A secure & well ventilated design, these units are a heavy duty construction with custom locking.

Units can stand alone or bank together & feature a range of optional accessories to increase functionality for different applications. All steel construction with a powdercoat finish.

Specifications

Dimensions (All Cupboards) 1800mm (H) x 450mm (D)

<u>Available in 2 widths</u> 300mm (W) or 375mm (W)

Grey

All cupboards are available flat packed or assembled









Metal Storage Cupboards

Note



A versatile storage solution to suit many different enviroments. The heavy duty design boasts reinforced doors, full width shelves & a flush mounted lock & handle, while the 3 point locking system gives that added security.

Specifications

Dimensions (All Cupboards) 460mm (D) x 920mm (W)

Available in 3 heights

1020, 1830, 1950mm

Grey and Graphite Ripple

All cupboards are available flat packed or assembled











WORKSTATIONS & DESKS

Create a coordinated look with our variaty of workstations & desks collections. Modern and stylish, these furniture pieces will suite any office.



Rapid Span Bookcase

Strong and durable and backed by a 5 year warranty

The bookcase comes with adjustable 25mm thick shelves, with extra shelves available.

Specifications

3 shelves included 4 shelves included

Available Sizes

900mm x 315mm x 1200mm (3 shelves) 900mm x 315mm x 1800mm (4 shelves)

Colours

Beech or White





Rapid Span Corner Workstation - BEECH

1800 / 1800mm x 700mm x 730mm 1800 / 1500mm x 700mm x 730mm 1500 / 1500mm x 700mm x 730mm 1800 / 1200mm x 700mm x 730mm

Adjustable Feet







Rapid Span is a versatile desk system, allowing choice of top size and colour, leg system and matching storage and tables.

Use as a stand alone desk or create a workstation layout to suit your requirements.

Specifications

Available Sizes

White, Black or Grev

One Piece Top with Cable Entry Holes for cable management



Rapid Span Corner Workstation - WHITE

Rapid Span is a versatile desk system, allowing choice of top size and colour, leg system and matching storage and tables.

Use as a stand alone desk or create a workstation layout to suit your requirements.

Specifications

Available Sizes 1800 / 1800mm x 700mm x 730mm 1800 / 1500mm x 700mm x 730mm 1500 / 1500mm x 700mm x 730mm 1800 / 1200mm x 700mm x 730mm

Colours

White, Black or Grev

Features

Adjustable Feet One Piece Top with Cable Entry Holes for cable management



Rapid Span Credenza

The sliding door credenza has lockable sliding doors and internal shelf, available in 2 sizes. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

1200mm x 450mm x 730mm 1800mm x 450mm x 730mm

Colours

Beech or White

Warranty

5 years warranty





Rapid Span Hutch

The Rapid Span Storage range comes in a choice of solid White or Beech and is constructed of environmentally friendly melamine. Strong and durable and backed by a 5 year warranty.

The hutch comes with adjustable shelves and a space for a monitor under the shelves to maximise desk space, and clear clutter from the desk top.

Specifications

Available Sizes

1200mm x 315mm x 1070mm 1800mm x 315mm x 1070mm

Vertical Sections

2 vertical sections 3 vertical sections

Colours

Beech or White

Warranty

5 year warranty



Rapid Span Mobile Pedestal

The Rapid Span Storage range comes in a choice of solid White or Beech and is constructed of environmentally friendly melamine. Strong and durable and backed by a 5 year warranty

The mobile pedestal comes with castors and a fifth wheel for stability and comes standard with a lock.

Available Sizes

Colours Beech or White

Warranty





Specifications

447mm x 465mm x 690mm

5 year warranty



Rapid Span Straight Desk

Deluxe Rapid Span is a 750mm Deep desk top in Natural Oak finish. Tops match with Deluxe Infinity Storage.

The Span range of desking can be configured in back to back desk layouts and pods of workstations as well as stand alone desks.

Specifications

Available Sizes

1800mm x 700mm x 730mm

Finish

Metal Powdercoated Leg

Features

Cable Tidy in Leg Adiustable Feet





Rapid Worker Bookcase

The bookcase comes adjustable 25mm thick shelves, with extra shelves available. Strong and durable and backed by a 5 year warranty.

Specifications

Shelves

2 shelves included 3 shelves included 4 shelves included

Available Sizes

900mm x 315mm x 900mm 900mm x 315mm x 1200mm 900mm x 315mm x 1800mm

Beech or Cherry/Ironstone

5 years warranty





Rapid Worker Corner Workstations

The Rapid Worker range is constructed of environmentally friendly melamine with 25mm thick tops and an 18mm ironstone base. Strong and durable and backed by a 5 year warranty.

Corner workstations come with a range of wing sizes that can fit on either side of the corner piece.

Specifications

Available Sizes

1200 / 1200mm x 600mm x 730mm 1200 / 1500mm x 600mm x 730mm 1200 / 1800mm x 600mm x 730mm 1200 / 2100mm x 600mm x 730mm 1500 / 1500mm x 600mm x 730mm 1800 / 1500mm x 600mm x 730mm 1800 / 1800mm x 600mm x 730mm 2100 / 1500mm x 600mm x 730mm 2100 / 1800mm x 600mm x 730mm 2100 / 2100mm x 600mm x 730mm 1800 / 1800mm x 750mm x 730mm

Beech or Cherry/Ironstone

Accesories

Matching Lockable Drawers Mobile Pedestal and Hob available as extras

Warranty

5 years warranty





Rapid Worker Credenza

The sliding door credenza has sliding doors and an internal shelf, available in 3 sizes. Strong and durable and backed by a 5 year warranty.

60 OFFICE FURNITURE



Specifications

Available Sizes

- 1200mm x 450mm x 730mm
- 1500mm x 450mm x 730mm
- 1800mm x 450mm x 730mm

Beech or Cherry/Ironstone

5 years warranty



Rapid Worker Desk Hob

The Rapid Worker range is constructed of environmentally friendly melamine with 25mm thick tops and an 18mm ironstone base. Strong and durable and backed by a 5 year warranty. 1500mm x 350mm x 400mm

The desk hob will add privacy or can be used as a reception counter.

Specifications

Available Sizes

1800mm x 350mm x 400mm

Colours

Beech or Cherry/Ironstone

Warranty

5 years warranty





Rapid Worker Filing Cabinet

The 3 or 4 drawer filing cabinet comes with metal runners, takes foolscap files and is fully assembled. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

465mm x 600mm x 998mm 465mm x 600mm x 1300mm

Colours

Beech or Cherry/Ironstone

Assembly Fully assembled

Warranty

5 year warranty

--5





Rapid Worker Fixed Pedestal

The fixed pedestal attaches to the desk and is available in a lockable 2 or 3 drawer desk pedestal or a 3 drawer return pedestal. A 1 drawer non locking drawer in ironstone is also an option. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

465mm x 447mm x 454mm 465mm x 370mm x 454mm

Colours

Beech or Cherry/Ironstone

Warranty

5 year warranty







The hutch comes with adjustable shelves and a space for a monitor under the shelves to maximise desk space, and clear clutter from the desk top. Strong and durable and backed by a 5 year warranty.

Available Sizes

Warranty 5 year warranty





Rapid Worker Hutch

Specifications

- 1200mm x 315mm x 1070mm
- 1500mm x 315mm x 1070mm
- 1800mm x 315mm x 1070mm

Beech or Cherry/Ironstone





Rapid Worker Lockable Wall Unit

The wall unit is a combination of shelves on top and a lockable storage unit under. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

900mm x 450mm x 1800mm

Colours

Beech or Cherry/Ironstone

5 years warranty







Rapid Worker Mobile Pedestal

The mobile pedestal comes with castors and a fifth wheel for stability and come standard with a lock. **Ironstone all over only available in 2 drawers, 1 file drawer configuration**

Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes 465mm x 447mm x 690mm

Colours Beech, Cherry or Ironstone

Warranty

5 years warranty

Rapid Worker Pigeon Hole Unit 20 Holes

Specifications

Available Sizes

1040mm x 380mm x 1040mm

Colours

Beech, Cherry or Ironstone

Warranty

5 years warranty







The 20 hole pigeon hole unit, comes with adjustable

shelves so you can vary the size of the holes to suit.

Strong and durable and backed by a 5 year warranty.





Rapid Worker Return

The return can be added to any desk from 1,500mm wide, comes in 3 sizes, and fits either side of the desk. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

900mm x 450mm 730mm 900mm x 600mm x 730mm 1200mm x 600mm x 730mm

Colours

Beech, Cherry or Ironstone

5 years warranty



Rapid Worker Straight Desk

The desk range comes in 5 sizes all with side bolts for additional rigidity. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

1800mm x 900mm x 730mm 1800mm x 750mm x 730mm 1500mm x 750mm x 730mm 1200mm x 600mm x 730mm 900mm x 600mm x 730mm

Colours

Beech or Cherry/Ironstone

ccessories

Lockable Drawers Extra

5 years warranty







FirstLine Caddy

This mobile unit is suitable for filing and storing your documents, stationery and personal items. Combines the benefit of both a Pedestal and a Tambour in one unit.

Specifications

1050mm

Height

640mm

Depth 460mm

FirstLine Lateral Filing Cabinet

When storing high volumes of suspension filing, you need cabinets that are built tough - but are designed to reduce workplace risk.

The FirstLine Lateral Filing Cabinet has a refined look, contemporary handle design and sturdy construction to store a high volume of documents.

Specifications

Width 910mm Height 710mm (2 Drawer) 1010mm (3 Drawer) 1320mm (4 Drawer) Depth

460mm



This Mobile Pedestal has the popular 'flush front' design - with the side pull, doing away with the need to have more traditional, protruding handles.

The full extension runners on the unit's drawers allow you to access all of the usable filing space with ease.

Width 460mm

Height 505mm (2 Drawer) 610mm (3 Drawer)

472mm

66 OFFICE FURNITURE



FirstLine Mobile Pedestal

Specifications

310mm (3 Drawer Slim)





Strata 2 Bookcase

Smart, stylish and GECA-certified.

Smart and stylish, the GECA-certified Strata 2 Bookcase. Cabinet is ideal for showcasing its contents. It can be effortlessly converted into a Tambour Door or Swing Door Cabinet when your office needs change.

Specifications

900mm

1000, 1200, 1650mm

Depth



Strata 2 Planters

Improve your workspace look and feel with modular planters.

Planters are a premium range of cabinet planter boxes designed to be used on top of Strata 2 Tambour Door, Swing Door, Sliding Door, Lateral Drawer and Bookcase cabinets. The planters consist of three nested components: a powder-coated steel tray with adjustable pot openings, waterproof ABS liner (optional) for support and moisture protection 460mm and a powder-coated steel carcass.

They can accept 200mm (8") pots as standard, with a maximum aperture of 230mm (9").

Specifications

900, 1050, 1200mm

230mm

Strata 2 Sliding Door Cabinet

Designed for smooth, space-efficient storage.

Designed for aesthetic, space-efficient storage, the

Strata 2 is perfect for your next office refurbishment

or office fitout. The sliding doors are quiet and

smooth, with an ergonomic bevelled handle. The

doors with acoustic sound absorption as standard.

Cabinet is GECA Certified and comes with perforated

1200, 1600, 1800, 2000mm

480mm

Specifications

970, 1000, 1200mm

Choose from a range of heights and depths and access features including reinforced door panels, an enclosed door frame for extra strength and security.







Strata 2 Swing Door Cabinet

A solution that changes as your storage needs do.

A dual-purpose storage solution that can change to suit Wide your business needs, the Strata 2 Swing Door Cabinet 900m is a cost-effective solution for growing businesses.

Specifications

Heig 1980r 460mm

Strata 2 Tambour Door Cabinet

Generous storage capacity with a sleek look

Enjoy generous storage capacity and a great-looking design. The smart curtain feature allows easy access to contents while guaranteeing the open doors don't impede the floor space. Magnetic door posts ensure a tight, secure finish when the doors are closed.

Specifications

900mm (750mm internal) 1050mm (900mm internal) 1200mm (1050mm internal)

Height

970, 1000, 1200, 1980mm

460mm





RECEPTION & LOUNGE

Our modern furniture will create a lasting first impression with clients.



Budget Coffee Table

Simple but effective the Budget coffee table has a 25mm melamine top and a sturdy ironstone base, with a magazine shelf under the top.

Specifications

Available Sizes

900mm W x 600mm D x 450mm H

Warranty

5 years warranty

Glass Coffee Table

The Glass coffee table comes with black tempered glass and a recessed chrome frame. Modern looks with a sturdy design, in 2 sizes to fit a reception or break out area.

Specifications

Available Sizes

1200mm W x 600mm D x 450mm H 600mm W x 600mm D x 450mm H

Warranty

5 years warranty



Overall Sizes 720mm D x 1140mm W x 710mm H

No assembly required

Space Lounge 3 Seater

720mm D x 2000mm W x 710mm H

Colours

Assembly

No assembly required







Space Lounge 2 Seater

Specifications

Chrome frame & feet

Soft Black PU Finish

Space Lounge Seat

Specifications

Overall Sizes 720mm D x 885mm W x 710mm H

Colours

Chrome frame & feet

Soft Black PU Finish

Assembly

No assembly required



Specifications


Chrome frame & feet

Soft Black PU Finish



EXECUTIVE CHAIRS

Executive chairs are ideal for executives and boardrooms offering an ergonomic design for extended use. With a wide choice of options, your office will look the part while ensuring employees have a comfortable seat with lower-back support thanks to advanced executive office chair design.



CL2000H

A Slim Line Leather Look Executive chair with multi position tilt lock to ensure maximum comfort. Chrome arm rests and base.

Specifications

Back Height
630m
Seat Depth
495mm
Seat Width
500mm
Seat Height
480-540mm

Finish Chrome arm rests & base



CL410

Executive high back chair with a different design. Fabric inlay for extra comfort, chrome base and upholstered arms. Comes with an infinite tilt lock allowing the user to set multiple recline positions. Upholstered in black PU and backed by a 5 year warranty.

Specifications

Back Heigh 740mm Seat Dept 500mm Seat Wid 540mm

Seat Height 450-550mm

5 year warranty

CL610

Medium back multiple use chair. The CL610 has black arm rests and base and a single point lock allowing the user to float or sit upright. Upholstered in black PU and backed by a 5 year warranty. Use as a desk or meeting chair.

Back Hei 560mm

Seat De 500mm

Seat Wi 494mm

Seat Hei 450-580mm

Warranty

5 year warranty





Specifications

eight			
pth			
dth			
ight			



CL820

backed by a 5 year warranty.

Specifications

Back Heig

760mm

480mm

520mm

eat Widt

420-490mm

The CL820 is a classic large executive chair with ample proportions. It features chrome base, upholstered arm rests and an infinite tilt lock to set the tilt at the desired position. Upholstered in soft, comfortable black PU and

PU605H

Specifications

Back Height

630mm

460mm

485mm

Seat Widt

Seat Height

490-610mm

The PU605H is a stylish executive or boardroom high back chair, with slimline profile, chrome arms and polished aluminium base.

Upholstered in durable PU and backed by a 5 year warranty.

PU605H

The PU605M is an ideal boardroom chair with stylish looks. The infinite tilt lock allows the user to recline in multiple positions.

Upholstered in durable PU and backed by a 5 year warranty.

Specifications

Back Height 490mm at Depth 460mm

485mm

at Heig 490-610mm

5 year warranty



Varranty 5 year warranty





OPERATOR CHAIRS

Operator chairs are a great option when looking to provide economical way to provide seating for an office.



AM200

Medium mesh back desk chair. Comes with infinite tilt lock allowing setting of multiple back positions, a Comes with good size oval back and injection polished aluminium base and adjustable arms. Available in Black only. Backed by a 5 year warranty.

Specifications

Back Height 590mm Seat Depth / Width 500mm / 520mm Seat Height 420-520mm Black Polished aluminium base

EG100CH

Task chair designed for heavy commercial use. moulded seat, and has independent seat and back tilt. Arms optional extra. Available in Black, Navy or Charcoal Upholstered in fabric, AFRDI approved and backed by a 10 year warranty.

Specifications

Back Height 530mm Seat Depth / Width 480mm / 520mm Seat Height

480-620mm

Black, Navy or Charcoal

Accesories

Optional arms





by a 10 year warranty.

Back Heigh 500mm

Seat Depth / Width 480mm / 520mm

Seat Height 480-620mm

Colours

Optional arms







EG400

Task chair designed for heavy commercial use. Comes with good size square back and injection moulded seat, and has independent seat and back tilt. Arms optional extra.

Available in Black, Navy and Charcoal. Upholstered in fabric, AFRDI approved and backed

Specifications

Black, Navy or Charcoal





PO500

Ideal seat for user requiring a large chair with full adjustment. Comes with a heavy duty mechanism and independent back and seat adjustment. Arms optional extra.

Available in Black, Navy or Charcoal. Upholstered in fabric or PU, AFRDI approved and backed by a 10 year warranty.

Specifications

Back Height 535mm

Seat Depth / Wid

510mm / 530mm

Seat Height

490-590mm

Colours

Black, Navy or Charcoal

Optional arms





VISITOR CHAIRS

Update your reception or waiting room with our sturdy and stylish Visitor Chairs.



76 OFFICE FURNITURE

Fernando B Nova Attractive, stacking side chair, can be used in visitor Great value chair, can be used for visitor, reception or or eating areas. Black, easy to clean PU upholstery general use. Stacks, links with fabric upholstery and a with a 4 leg chrome underframe. strong black powder coated frame. Available in Black. Backed by a 3 year warranty. Performance tested backed by a 3 year warranty. **Specifications Specifications** Back Height Back Height 480mm 338mm Seat Depth / Widt Seat Depth / Width 420mm / 425mm 444mm / 448mm Seat Height Seat Height 440mm 445mm Colours Black Black Chrome underframe Black powder coated frame

Great value chair, can be used for visitor, reception or general use. Stacks, links with fabric upholstery and a strong black powder coated frame. Available in Charcoal. Performance tested backed by a 3 year warranty.

Back Hei 338mm

Seat Dep 444mm / 448mm

Seat Heigh 445mm

Colours Charcoal







Nova-ADK

Specifications

ght	
oth / Width	

Black powder coated frame

Nova-NF

Great value chair, can be used for visitor, reception or general use. Stacks, links with fabric upholstery and a strong black powder coated frame. Available in Navy Blue. Performance tested backed by a 3 year warranty.

Specifications

ack Height
38mm
eat Depth / Width
14mm / 448mm
eat Height
15mm
colours

Navy Blue



Strong durable stacking chair with polypropylene shell and black powder coated underframe. Ideal for eating areas or work sites. Backed by a 3 year warranty.

Specifications

405mm Seat Depth / Wid 370mm / 450mm Seat Height 440 mm Black

Polypropylene shell & black powder coated underframe



Incredibly durable polypropylene stacking chair. This is a one piece moulded Monobloc chair, tested to Australian standards, will hold up to 150kg and guaranteed not to break under intended use. Available in Grey or White Backed by a 3 year warranty.

Specifications


Back Height 410mm

Seat Depth / Width

380mm / 400mm

Seat Height 450 mm

Grey or White







	-				C
	a	u		u	Э
_			_		_

Wrap around polypropylene shell and chrome frame make this chair ideal for eating break out areas. Chair stacks and backed by a 3 year warranty.

Specifications

Back Height
345mm
Seat Depth / Width
435mm / 430mm
Seat Height
440 mm

Black

Polypropylene shell & chrome frame

2	2	
ſ	1	

Taurus Bar Stool

Wrap around polypropylene shell and chrome frame Value for money slim line, stacking visitor, training make this stool ideal for kitchens and break out areas. or conference chair. Generous size plastic back and Ideal for use with the Rapidline high bar table and backed by a 3 year warranty.

Specifications

Specifications
Back Height 345mm
Seat Depth / Width
455mm / 435mm Seat Height
435mm
Colours Black

inish Polypropylene shell & chrome frame





seat with chrome sled base. Backed by a 3 year warranty.

Specifications Back Height 200mm Seat Depth / Width 400mm / 460mm

Seat Height
430mm
Colours
Black

Chrome sled base





Update your office with our functional modern tables. A great additional to any meeting room, boardroom or staff room.







TABLES



Rapid Worker Round Table

The Rapid Worker round table is a robust work horse with a 25mm top and sturdy ironstone cross base. Available in 2 sizes and backed by a 5 year warranty.

Specifications

Available Sizes

900mm x 900mm x 730mm 1200mm x 1200mm x 730mm

Beech or Cherry/Ironstone

Warranty

5 years warranty



Steel Frame Tables

The versatile steel frame table can be used in the kitchen or office and has a black powder coated frame with 25mm top. Comes in a choice of top colours and backed by a 3 year warranty.

Specifications

Available Sizes

1200mm x 600mm x 730mm 1500mm x 750mm x 730mm 1800mm x 750mm x 730mm 1800mm x 900mm x 730mm

White, Beech or Cherry/Ironstone

Black poweder coated frame

5 years warranty











CUPBOARDS

Cupboards are a great storage solution to ensure your office is kept tidy. Our cupboards are also lockable for extra security.



Rapid Span Cupboard

The Rapid Span Storage range comes in a choice of solid White or Beech and is constructed of environmentally friendly melamine. Strong and durable and backed by a 5 year warranty. The cupboard is fully lockable with 3 adjustable shelves and 1 fixed.

Specifications

Available Sizes 900mm x 450mm x 1800mm

Colours Beech or White

Varranty 5 year warranty





Rapid Worker Cupboard

The cupboard is fully lockable with 3 adjustable shelves and 1 fixed. Strong and durable and backed by a 5 year warranty.

Specifications

Available Sizes

900mm x 450mm x 1800mm

Beech or Cherry/Ironstone

Warranty

5 year warranty












MATERIALS HANDLING

MATERIALS HANDLING

WAREHOUSE ACCESSORIES

NQ Shelving & Storage offers a wide range of Warehouse Accessories.



150kg Rated Foldable Platform Trolley



Specifications	Spec
Model	Model
TSS11	TF75
Dimensions	Сарас
460mm x 740mm	750kg
Handle Height	Table H
1000mm	420-90
Load Capacity	Dimen
150kg rated	1000m
Wheel Diameter	
100mm (4")	

180kg Rated Handtruck Hand Trolley

_			\square
		<	

Specifications

Model		
TSHT12		
Toe Plate		
355mm x 230mm		
Handle Height		
1230mm		
Load Capacity		
180kg		

250mm

750kg Manual Scissor Lift Table

86 MATERIALS HANDLING



fications		
ty		
leight Range		
)mm		

sions of Tabl

nm x 510mm x 55mm

Castor Wheel
147mm x 50mm
N.W.
125 kg
120 119
Handle Height from Ground
nullato noight noin orouna
1000mm
100011111
Warranty
wallality
1 year warrapty
1 year warranty

500kg Manual Scissor Lift Table

Specifi	cations	Castor Wheel
-		125mm x 40mm
Model		
TF50		N.W.
		81 kg
Capacity		
500kg		Handle Height from Ground
		990mm
Table Heig	ght Range	
285-880mr	n	Warranty
		1 year warranty
Dimension	ns of Table	

800mm x 500mm x 50mm





300kg Manual Scissor Lift Table

Specifications

Model	
TF30	
Capacity	
300kg	
Table Height Range	

285-880mm

Dimensions of Ta

800mm x 500mm x 50mm



Model

AC25-685

Capacity

75-190mm

Fork height range

2500kg



2500kg Pallet Jack / Pallet Truck 685mm Wide


Specifications Steering wheel 180mm x 50mm Load Roller 74x93/70mm Size of fork 160mm x 50mm Width overall forks 685mm Fork length 1150mm Warrant 1 year

Model TS1AXL





520kg Rated Platform Trolley Heavy Duty - 6 Wheels 250kg Rated Foldable Handle Platform Trolley



340kg Rated Platform Trolley

Specifications Model TS1A

600mm x 900mm

Handle Height 910mm Load Capacity 340kg Wheel Diameter 125mm (5") (blue non-marking rubber)

250kg Rated Foldable Platform Trolley

Handle Height	S
1000mm	
	N
Load Capacity	T
250kg	
Wheel Diameter	11
125mm (5")	



600mm x 890mm

Specifications

Model





Model TSXL12





300kg Rated Platform Trolley - Double Handle

560kg Rated Industrial Platform Trolley

MATERIALS HANDLING

300kg Rated Hand Truck Trolley - Easy Tilt

125kg Rated RUXXAC Cart Business Trolley



Specifications	Specifications	
Model	Model	
SF300	TSHT5P	
Load Capacity	Height Folded	
300kg	455mm x 185mm	
Wheel Diameter	Height Folded	
260mm	1540mm	
Plate Size	Overall Width	
430mm x 240mm x 9mm	220kg	
Frame Size	Load Capacity	
1290mm x 370mm	250mm	
	Platform	
	490mm x 250mm	
	Weight	11111
	5.4kg	
		1.

~

130kg Rated Hi-5 2 Shelf Utility Cart

Specifications

Model RT4010-BLACK

Description Hi5 Utility Cart, 2 Tier Service Trolley

Product Size 85.4cm L x 47.3cm W x 96cm H

Capacit 130kg

Colour Black







All-plastic molded shelves engineered for duraility.



Convenient handles located on each end and compact size enhance maneuverability.



Aluminum uprights are engineered for durability and appearance.



Textured surface for non-skid performance.



Quiet, non-marking swivel castors.

90kg Rated Hi-5 3 Shelf Utility Cart

Specifications

Model

RT4011-BLACK

Hi5 Utility Cart, 3 Tier Service Trolley

Product Size

85.4cm L x 47.3cm W x 96cm H

Capacity 90kg

> Colour Black





All-plastic molded shelves engineered for duraility.



Convenient handles located on each end and compact size enhance maneuverability.



Aluminum uprights are engineered for durability and appearance.



Textured surface for non-skid performance.



Quiet, non-marking swivel castors.

MATERIALS HANDLING

Grandmaid Cleaning Cart

Specifications

Model

RT5011-BLACK

GRANDMAID Cleaning Cart

Dimensions

L116.8 x W55.2 xH97.5cm

Colour

Black





Holder for safety signs.

With four acce-secry bags for holding of cleaning foots on odes.






Elastic clamp can hold the broom and mop handles with diameter 2.2 to 2.9 cm. Holder for screw-drivers. pliers and other tools.



Storage cabinet (5014) can carry sharp cleaning tools, such as scraper, blade etc.. effectively reduce the occurrence of danger.






455mm x 185mm

Handle Height 1540mm

Load Capa 220kg

Wheel Dia 250mm



220kg Rated Handtruck Stock Picking Trolleys

Our range of stock picking trolley's ensures there is a solution for any picking task. 220kg Rated Stock / Order Picking Trolley Specifications 420mm x 900mm Handle Height 1010mm / 1000mm Load Capacity 220kg Wheel Diam 100mm (4")







220kg Rated 2 Tier Platform Trolley

Specifications

420mm x 950mm

Handle Heigh

1000mm

220kg

Load Capa

Wheel Dia

340kg Rated Stock / Order Picking Trolley - TS2B

Specifications

Model	
S2B	
Dimensions	
600mm x 900mm	

910mm ad Capa

340kg

125mm (5")



340kg Rated Stock / Order Picking Trolley - TS1F

Specifications

Model
TS1F
Dimensions
600mm x 900mm
Handle Height
855mm
Load Capacity
340kg

125mm (5")



340kg Rated Stock / Order Picking Trolley - TS4B

Specifications

Model
TS4B
Dimensions
650mm x 990mm
Handle Height
91mm
Load Capacity
340kg
Wheel Diameter

125mm (5")



MATERIALS HANDLING 95



CHEMICAL STORAGE



CHEMICAL STORAGE

CHEMICAL STORAGE

hazardous chemicals can still

pose a risk. Some can cause or

contribute to a fire or explosion,

damage property if they are

stored unsafely. It is vital for

all chemicals to be stored in a

Even when not in use,

injure or poison people,

safe, secure location.

O SMOKI

NO IGNITION SOURCES

WITHIN 3m

250L Flammable Liquids Storage Cabinet

Flammable Liquids Storage Cabinet.

All Justrite Storage Cabinets are manufactured to comply fully with the relevant Australian Standards 10 Year Manufacturing Warranty

Specifications

Capacity 250 Litre Maximum Capacity Holds 9 x 20 Litre Drums

External Size 1720mm H x 1100mm W x 465mm D

Internal Size 1520mm H x 1020mm W x 375mm D

Supplied with three shelves as standar Extra metal shelves may be added

AU25901

GJUSTRITE

9 JUSTRITE

Factory Mutual Insurance Endorsment FM Approved



100L Flammable Liquids Storage Cabinet

Capacity

Product Code

FM Approved

98 CHEMICAL STORAGE



Flammable Liquids Storage Cabinet.

All Justrite Storage Cabinets are manufactured to comply fully with the relevant Australian Standards. 10 Year Manufacturing Warranty

Specifications

100 Litre Maximum Capacity

External Size

800mm H x 920mm W x 565mm D

nternal Size

560mm H x 830mm W x 480mm D

Supplied with two shelves as standard Extra metal shelves may be added

AU25915/37

Factory Mutual Insurance Endorsment







WAREHOUSE SAFETY

NQ Shelving & Storage offers a wide range of warehouse safety options.



102 WAREHOUSE SAFETY

Bollard 114mm Surface Mounted Economy

Specifications	0	Speci
Height		Height
1000mm		1000mm
Depth		Depth
114mm		90mm
Weight		Weight
11.06kg		8.2kg
Wall Thickness		Wall Thi
3mm		 3.2mm
Finishes		Finishes
Galvanised and Powder Coated		Galvanis

Bollard 140mm Surface Mounted Economy

Specifications	S	Spec
Height	C	Height
200mm		150mm
Depth	2	Weigh
40mm	6	ikg Bas
Weight		Colour
8.4kg	F	luores
Wall Thickness	6	Materi
3.5mm	Р	lastic
Finishes		

Galvanised and Powder Coated



Bollard 90mm Surface Mounted Economy

fications	
n	
ickness	
s	
ed and Powder Coated	

Traffic Cone - 1000mm Reflective

pecifications
leight
000mm
Veight
kg Base
Colour
uorescent Orange
laterial
astic

T-Top Bollard with Base

ifications	
1	
e	
cent Orange	
al	

Traffic Cone - 700mm Reflective

Specifications

Height
700mm
Weight
3kg
Colour
Fluorescent Orange
Material
Plastic



Centurion Hoop Bollard 90 x 810 Surface Mounted Cable Protector - 2 Channel

Specifications

Weight		
33kg		
Bollard Diameter	111	
90mm		
Bollard Height		
1100mm		
Finishes	1	
Galvanised		
	-	-

Specifications

Channer Size 30mm x 35mm Rubber with Rubber/Plastic Lid Colours

Black/Yellow



Convex Mirror 600mm Indoor

Specif

Height 3.16kg

> Overall V 600mm

Colour

Grey

Mirror Fa Polycarbo

U-Bar Double Rail 1m Surface Mounted

Specifications		
Weight		
16kg		
Bollard Diameter		
48.3mm		-
Bollard Height		
1051mm		
Colour		
Safety Yellow		
Finishes		100
Galvanised and Powder Coated	-	<u>></u>

Cable Protector - 3 Channel

Specifications

Channer Size 50mm x 50mm

Material

Rubber with Rubber/Plastic Lid

Colours Black/Yellow



Convex Mirror 600mm Outdoor

Specif

3.5kg

600mm

Colour Hi-Viz Orange

Mirror Face Mat

Polycarbonate face





ications	7 12
Vidth	
	A State State State
ace Materials	and the second s
onate face	Trans

Mobile Expanding Safety Barrier

Specifications

Height
1000mm
Width
Closed 320mm - Expands to 4000mm
Colour
Yellow
Material
Plastic



٠		- •			
	~2	tι	n	n	C
	ua	L.	v		5

Nidth	Nidth			
Width	Nidth			
// (e) tin	wiath			



Port-a-Guard Expandable Barrier 3m

Specifications

Height

1090mm with castors

Closed 325mm - Expands to 3000mm

Colour

Black/Yellow

Finishes

Aluminium with Injection moulded ABS parts



Pilot 10m Belt Barrier

Specifications

Plies
Internation of
1 0 1
34.5.22
and the second s

Pilot Magna-Mount Bracket with Bungy and Belt Clip





Specif

Length 10m

Materia PVC

Pilot Wall-Mount Bracket

Pilot 5m Belt Barrier

Specifications

Weight

1.3kg

Belt Leng

5mt

Overall Height & Width

170mm (unit without cone mount adaptor) x 95mm


Colour

Green/Grey





Traffic Cone Retractable Bar 1.2 - 2m



Black & Yellow







Wall Mount Barrier 10m

Budget Spill Kit - Indoor Spill Clean Up

Specifications

Economical up to 55 litre capacity spill kit designed for indoor spills of oils, fuels, diesel, petrol and other hydrocarbons on sealed surfaces. The SKHBR120 is a value-packed oil and fuel spill kit ideal for sealed floors in workshops, warehouses, loading docks, factories or other indoor work sites.

OIL & FUEL

in the second



Wall Mount Barrier 5m

Specifications

5m

PVC



Specifications

Oil and Fuel Cotton Absorbent Mini Boom

Quantity: 2

Size: 2m x 7.5cm

BudgetSorb Absorbent Floorsweep

Quantity: 3 Size: 20 litres

PVC Gloves - Pair

Quantity: 1 Size: 450mm

Disposal Bag - Labelled Quantity: 4

Materials: 100 Micron Polyethylene

Poly Wipes – Pack of 50

Quantity: 1 Size: 59cm x 33cm

Spill Kit Labels & Audit Tag

Quantity: 1 Materials: Self-Adhesive PVC

Operating Instruction

Quantity: 1 Size: A4 Laminated

Absorbent capacity

Up to 55 litres

Note

Actual absorbent capacity will vary depending on liquid viscosity, specific gravity and temperature.

Spill Response Kits - Indoor Oil & Fuel Spills

Spill response kits absorb up to 90 litre capacity oil and is designed for indoor spills of oils, fuels, diesel, petrol and other hydrocarbons on sealed surfaces. The SKHBR240 is a value-packed oil spill response kit ideal for sealed floors in workshops, warehouses, loading docks, factories or other indoor work sites.



Specifications

Oil and Fuel Cotton Absorbent Mini Boom Quantity: 3

Size: 2m x 7.5cm

BudgetSorb Absorbent Floorsweep

Quantity: 5 Size: 20 litres

PVC Gloves - Pair Quantity: 2 Size: 450mm

Disposal Bag - Labelled Quantity: 8

Materials: 100 Micron Polyethylene

Poly Wipes – Pack of 50

Quantity: 2 Size: 40cm x 35cm

Spill Kit Labels & Audit Tag

Quantity: 2 Materials: Self-Adhesive PVC

perating Inst

Quantity: 1 Size: A4 Laminated

Absorbent capa

Up to 99 litres

Actual absorbent capacity will vary depending on liquid viscosity, specific gravity and temperature.

Spill Response Kits - Indoor Oil & Fuel Spills

A standard spill kit designed to clean up spills of most **Specifications** non-aggressive liquids up to 115 litres. The SKGPB120 spill kit is ideal for both indoor and outdoor use - wherever liquids are stored, handled, used and spilled. General purpose absorbents are colour-coded grey for easy identification.

.....

SPILL KIT

minin

Oil and Fuel Cotton Absorbent Mini Boom Quantity: 2

Size: 1.2m x 7.5cm

Oil and Fuel Cotton Absorbent Mini Boom

Quantity: 1 Size: 2.4m x 7.5cm

BudgetSorb All-Liquid Absorbent Floorsweep

Quantity: 4 Size: 20 litre bag

General Purpose Absorbent Pads

Quantity: 25 Size: 45cm x 45cm

isposal Bag - Labelle

Quantity: 3

Quantity: 1 Size: 450mm

Audit Tag

Quantity: 1


Up to 115 litres

lote

Actual absorbent capacity will vary depending on liquid viscosity, specific gravity and temperature.









BENCHES

BENCHES

BENCHES

NQ Shelving & Storage offers a wide range of benches to suit any space.



Heavy Duty Work Benches

Speedlock benches are made from the same beams and uprights that we use for our pallet racking, so they are the strongest benches around. They can be easily assembled, and can be customized with the addition of a top shelf, or by adding Maxi Bins or high density storage drawer system for small parts storage. Lifetime Warranty

Specifications

Bench Height

Bench height can be customized to user specifications.

Bench Depths 600mm, 840mm, 1200mm Other depths available on request

Bench Lengths

1350mm, 2600mm, 2750mm Other lengths available on request

Bench Pitch

50mm







Longspan benches give you the ultimate in flexibility. They can be configured to any length and are easy to put together. They are not too heavy, but still strong. They are cost effective and can also be accessorised with small parts bins and high density drawer systems. Lifetime Warranty

900, 1200, 1500, 1800, 2100, 2400mm

50mm

Top and Shelf Options

Particleboard, Sheet metal wrapped particleboard, Melamine, Stainless Steel







Ultima Longspan Work Benches

Specifications

Can be customised to suit any height

400, 450, 500, 600, 760, 900, 1200mm









CUSTOMISED STORAGE

CUSTOMISED STORAGE

CUSTOMISED STORAGE

NQ Shelving & Storage offers a wide range of customised storage solutions to suit any space. The following images are some examples of what we can do.



Cable Drum Storage



Longspan Lockers







116 CUSTOMISED STORAGE

NQ SHELVING & STORAGE

Longspan Pipe Rack

Sign Rack



Secure Longspan Cage

Steel Storage Rack



NQ SHELVING & STORAGE

Cairns

Opening Hours Monday to Friday 7.30AM to 4PM

Address 240 Hartley Street Cairns, QLD 4870

> **Contact Details** 07 4035 1444

ABN 78 051 290 978

Townsville

Opening Hours Monday to Friday 8AM to 4.30PM

Address 52 Keane Street Currajong, QLD 4812

> **Contact Details** 07 4779 9666

ABN 78 051 290 978